THE
MYSORE GAZETTE.
Published by Authority.

BANGALORE, SATURDAY, FEBRUARY 23, 1889.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 16th February 1889.

District.	Rain-fall at—	Present week.		Corresponding week of last year.		Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore ...	Bangalore C. & M. Stn. ...	...	...	...	...	This week. Past week.	Well.	Standing crops in good condition. Sugar-cane and paddy were sown in parts. Paddy, ragi, sugar-cane, horse-gram, pigeon pea, cow-gram, little millet and little panicle, were harvested. Out-turn fair.	Good.	Generally good, but small-pox prevalent in parts of Closepet.	Cattle disease prevalent in parts. Water and fodder sufficient.
	„ City & Tk...	...	...	...	...						
	Hoskote ...	...	...	...	...	Rice 10½ 10½.					
	Dodballapur ...	...	...	...	...	Ragi 30 30.					
	Nelamangala ...	...	...	...	...	(*Eleusine corocana.*)					
	Kankanhalli ...	...	...	...	...	Horse-gram 23 23.					
	Magadi ...	...	...	...	...	(*Ciser arietinum.*)					
	Closepet ...	...	...	...	...						
	Anekal ...	...	...	...	...						
	Devanhalli ...	...	...	...	...						
	Channapatna ...	...	...	...	...						
Kolar ...	Kolar ...	...	...	...	...	Rice 12 to 14 12 to 14.	Do	Standing crops generally in good condition, but paddy withering for want of water in parts of the Kolar Taluk.	Do	Two fatal cases of cholera were occurred in the Bowringpet Taluk.	Do do
	Bowringpet ...	...	...	...	...	Ragi 35 to 45 32 to 44.					
	Chintamani ...	...	...	...	...	(*Eleusine corocana.*)					
	Mulbagal ...	...	...	...	...	Horse-gram 23 to 30 19½ to 25.					
	Sidlaghatta ...	...	...	..	...	(*Ciser arietinum.*)					
	Chikballapur ..	..	...	..	...						
	Bagepalli ...	...	...	...	...						
	Goribidnur ...	..	...	...	...						
	Malur ...	...	...	...	...						
	Srinivaspur ...	...	...	...	...						
	Gudibanda ...	...	...	...	...						
Tumkur ...	Tumkur ...	...	...	...	...	Rice 12 to 15½ 12 to 15½.	Do	Standing crops in good condition. Castor beans, pigeon pea, horse-gram, Bengal-gram, chillies and sugar-cane, were harvested. Paddy was sown in parts. Out-turn 2 to 8 annas.	Do	Good, but small-pox prevalent in parts of Gubbi.	Do do
	Maddagiri ...	...	...	...	..	Ragi 40 to 50 40 to 50.					
	Chiknayakanhalli.	...	...	...	...	(*Eleusine corocana.*)					
	Sira ...	...	...	...	...	Horse-gram 25 to 32 25 to 32.					
	Gubbi ...	...	...	...	...	(*Ciser arietinum.*)					
	Tiptur ...	...	...	...	...						
	Pavagada ...	...	...	...	...						
	K[illegible]l ...	...	...	...	...						

	Korata[illegible]ere								
	Turu[illegible]bre								
	Huliyar								
Mysore ...	Mysore	Rice 11 to 14 11 to 15. Ragi 24 to 40 28 to 40. (*Eleusine corocana.*) Horse-gram 24 to 32 22 to 32. (*Ciser arietinum.*)	Do	Standing crops in good condition. Paddy, Bengal-gram, castor beans, cow-gram, were harvested. Out-turn fair.	Generally good.	Good, but small-pox prevalent in parts of Nagamangala.	Do do		
	Chamarajnagar								
	Seringapatam								
	Hunsur								
	Yedatore								
	Heggaddevankote.								
	Gundlupet								
	Nanjangud								
	T. Narsipur								
	Malvalli								
	Mandya								
	Attikuppa								
	Nagamangala								
Hassan ...	Hassan	Rice 15 Ragi 42 (*Eleusine corocana.*) Horse-gram 24 (*Ciser arietinum.*)	Do	Standing crops thriving well. Sugar-cane and Bengal-gram were harvested.	Favorable.	Generally good.	Murrain among cattle prevalent in parts of the Hassan Taluk.		
	Manjarabad								
	Arkalgud								
	Belur								
	Channarayapatna.								
	Arsikere								
	Holé-Narsipur								
Shimoga ...	Shimoga	Rice 15 to 16½ 15 to 16. Ragi 29 to 60 29 to 49. (*Eleusine corocana.*) Jola 37 to 48 31 to 37. (*Sorghum Vulgare.*)	Do	Wheat, Bengal-gram and cotton are in good condition. Gathering of arecanut continued. Paddy was sown in parts.	Fair.	Cholera and small-pox continued in a few Taluks.	Murrain among cattle prevalent in parts.		
	Channagiri								
	Honnali								
	Shikarpur								
	Sorab								
	Sagar								
	Nagar								
	Tirthahalli								
	Kumsi								
Kadur ...	Chikmagalur	Rice 13 to 22 13 to 20. Ragi 25 to 48 26 to 50. (*Eleusine corocana.*) Horse-gram 17 to 26 18 to 26. (*Ciser arietinum.*)	Do	Standing crops generally in good condition. Pigeon pea, cow-gram, wild gingelly, castor beans, chillies, coriander, Bengal-gram and arecanut, were gathered.	Generally good.	Generally good.	Water & fodder procurable.		
	Kadur								
	Tarikere								
	Koppa								
	Mudgere								
	Yedahalli								
Chitaldroog.	Chitaldroog	Rice 11 to 14 11 to 15. Ragi 44 to 68 44 to 68. (*Eleusine corocana.*) Jola 36 to 50 36 to 50. (*Sorghum Vulgare.*)	Do	Standing crops generally in good condition. Bengal-gram, horse-gram, cotton, pigeon pea, castor beans, sugar-cane, wheat and paddy were harvested in parts. Paddy was sown in parts.	Do	Do but small-pox prevalent in parts of the Jagalur Taluk.	Murrain prevalent in a few Taluks. Fodder sufficient.		
	Challakere								
	Hiriyur								
	Holalkere								
	Davangere								
	Molakalmuru								
	Jagalur								
	Hosdurga								

By Order,
C. MADIAH,
Under-Secretary.

Mysore Government Central Press, Bangalore.—1889.

THE
MYSORE GAZETTE.
Published by Authority.

BANGALORE, SATURDAY, MARCH 2, 1889.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 23rd February 1889.

District.	Rain-fall at—	Present week.		Corresponding week of last year.		Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore ...	Bangalore C. & M. Stn. ...	...	...	...	...	This week. Past week.	Well.	Standing crops in good condition. Sugar-cane was sown. Ragi, horse-gram, pigeon pea, cow-gram, italian millet and little panicle were harvested. Out-turn 8 to 12 annas.	Favorable.	Generally good, but small-pox prevalent in parts of Closepet.	Cattle disease prevalent parts. Water and fodd sufficient.
	„ City & Tk...	...	...	...	...						
	Hoskote ...	...	...	...	...	Rice 10½ 10½.					
	Dodballapur ...	...	...	...	...	Ragi 30 30.					
	Nelamangala ...	...	...	...	...	(*Eleusine corocana.*)					
	Kankanhalli ...	...	...	...	...	Horse-					
	Magadi ...	...	...	...	...	gram 23½ 23.					
	Closepet ...	...	...	...	...	(*Ciser arietinum.*)					
	Anekal ...	...	...	...	...						
	Devanhalli ...	...	...	...	...						
	Channapatna ...	...	...	...	...						
Kolar ...	Kolar ...	...	...	...	...	Rice					
	Bowringpet ...	...	...	...	...	Ragi					
	Chintamani ...	...	...	...	...	(*Eleusine corocana.*)					
	Mulbagal ...	...	...	...	...	Horse-					
	Sidlaghatta ...	...	...	...	...	gram					
	Chikballapur ...	...	...	...	...	(*Ciser arietinum.*)					
	Bagepalli ...	...	...	...	...						
	Goribidnur ...	...	...	...	...						
	Malur ...	...	...	...	...						
	Srinivaspur ...	...	...	...	...						
	Gudibanda ...	...	...	...	...						
Tumkur ...	Tumkur ...	...	...	...	...	Rice 12 to 15½ 12 to 15½.	Do	Standing crops generally in good condition. Pigeon pea, Bengal-gram, horse-gram, castor beans, cow-gram, chillies and sugar-cane were harvested. Padi and sugar-cane were sown	Good.	Generally good.	Cat p av
	Maddagiri ...	...	...	...	...	Ragi 40 to 50 40 to 50.					
	Chikna[illegible]anhalli.	...	...	...	...	(*Eleusine corocana.*)					

	Turi									
	Huliya									
ysore ...	Mysore	Rice 10 to 13 10 to 14.	Do	Standing crops generally in good condition. Harvesting of Bengal-gram, pigeon pea, cow-gram and paddy continued.	Generally good.	Do	Condition of cattle good. Water supply and pasturage diminishing in parts of Heggaddevankote.
	Chamarajnagar	Ragi 28 to 40 24 to 40.					
	Seringapatam	(*Eleusine corocana.*)					
	Hunsur	Horse-					
	Yedatore	gram 25 to 32 24 to 33.					
	Heggaddevankote.	(*Ciser arietinum.*)					
	Gundlupet						
	Nanjangud						
	T. Narsipur						
	Malvalli						
	Mandya 30						
	Attikuppa						
	Nagamangala						
assan ...	Hassan	Rice					
	Manjarabad	Ragi					
	Arkalgud	(*Eleusine corocana.*)					
	Belur	Horse-					
	Channarayapatna.	gram					
	Arsikere	(*Ciser arietinum.*)					
	Holé-Narsipur						
moga ...	Shimoga	Rice 15 to 17 15 to 16½.	Do	Standing crops in good condition. Bengal-gram and wheat were harvested. Paddy was sown in parts.	Fair.	Cholera continued in some villages of the Shimoga Taluk.	Murrain among cattle prevalent in parts.
	Channagiri	Ragi 29 to 60 29 to 60.					
	Honnali 5	(*Eleusine corocana.*)					
	Shikarpur	Jola 30 to 49 37 to 48.					
	Sorab ... ... 5 ... 5	(*Sorghum Vulgare.*)					
	Sagar 40						
	Nagar						
	Tirthahalli						
	Kumsi						
adur ...	Chikmagalur 38	Rice 13 to 18 13 to 18.	Do	Standing crops in good condition. Arecanut, pepper, cardamoms, horse-gram, cow-gram, pigeon pea, castor beans and Bengal-gram were harvested in parts.	Generally good.	Generally good.	Cattle in good condition. Water and fodder sufficient.
	Kadur 15	Ragi 30 to 50 25 to 48.					
	Tarikere	(*Eleusine corocana.*)					
	Koppa 10	Horse-					
	Mudgere	gram 17 to 26 17 to 26.					
	Yedahalli	(*Ciser arietinum.*)					
italdroog.	Chitaldroog	Rice 11 to 15 11 to 15.	Do	Standing crops in good condition. Bengal-gram, horse-gram, cotton, pigeon pea, castor beans, sugar-cane and wheat were harvested. Paddy was sown in some parts.	Do	Do Small-pox prevalent in Jagalur Taluk.	Murrain among cattle prevalent in parts. Fodder sufficient..
	Challakere	Ragi 44 to 68 44 to 68.					
	Hiriyur	(*Eleusine corocana.*)					
	Holalkere	Jola 36 to 50 36 to 50.					
	Davangere	(*Sorghum Vulgare.*)					
	Molakalmuru						
	Jagalur						
	Hosdurga						

By Order,
C. MADIAH,
Under-Secretary.

Mysore Government Central Press, Bangalore.—1889.